

**Product: Wachstop DP337**

Print Date:

Revision on: 15.06.2001

Page 1 of 3

## **1 IDENTIFICATION OF SUBSTANCE**

- Product details
- Trade name: Wachstop DP337
- Article number: 2320010
- Manufacturer/Supplier:  
DLH-LEDERTECHNIK GmbH  
Floridsdorfer Hauptstr. 29  
A-1210 Vienna/Austria  
Phone: +43-1-278 13 57  
Fax: +43-1-278 13 57-9  
e-mail: dlh@dlh.at
- Informing department: Product Safety Department

## **2 COMPOSITION/DATA ON COMPONENTS:**

- Chemical characterisation  
PE wax emulsion

## **3 HAZARDS IDENTIFICATION**

Information pertaining to particular dangers for man and environment

## **4 FIRST AID MEASURES**

- Inhalation  
Supply fresh air
- Skin contact  
Wash with soap and water
- Eye contact  
Flush eyes with water for at least 15 minutes
- Swallowing  
In case of persistent symptoms consult doctor

## **5 FIRE FIGHTING MEASURES**

- Suitable extinguishing agents  
CO<sub>2</sub>, extinguishing powder or water jet.
- For safety reasons unsuitable extinguishing agents  
---
- Special hazards caused by the material, its products of compositions:  
---

## **6 ACCIDENTAL RELEASE MEASURES**

- Person-related safety precautions:  
Ensure adequate ventilation.  
Use breathing protection against the effects of fumes/dust/aerosol
- Measures for environmental protection:  
Prevent material from reaching sewage system, holes and cellars
- Measures for cleaning/collecting:  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

**Product: Wachstop DP337**

Print Date:

Revision on: 15.06.2001

Page 2 of 3

## **7 HANDLING AND STORAGE**

- Handling:  
Information for safe handling: keep containers tightly sealed.  
Ensure goods ventilation/exhaustion at the workplace.  
Information about protection against explosions and fire: -
- Storage:  
Requirements to be met by storerooms and containers: No special requirements.  
Further information about storage conditions: -  
Protect from freezing, heat and direct sunlight.

## **8 EXPOSURE CONTROLS AND PERSONAL PROTECTION**

- Additional information about design of technical system:
- Components with critical values that require monitoring at the workplace
- Personal protective equipment:
- Respiratory: No special requirements
- Hands/skin: No special requirements
- Eyes: No special requirements

## **9 PHYSICAL AND CHEMICAL PROPERTIES:**

- Form: liquid
- Colour: Yellowish
- Odour: characteristic
- Boiling Point: 100°C
- Vapour pressure: 20 mbar (20°C)
- Density 20°C: 0,98 g/m<sup>3</sup> DIN 51757
- Solubility in/miscibility with water: miscible
- pH 10gr/l: 9-10 (20°C)
- Viscosity (20°C): 10-50 mPas Brookfield LVT

## **10 STABILITY AND REACTIVITY**

- Conditions to be avoided:  
No decomposition if used according to specifications.
- Dangerous reactions:  
With correct storage conditions and appropriate handling: none
- Dangerous products of composition:  
---

## **11 TOXICOLOGICAL INFORMATION**

- Sharp toxicity: ---
- Skin contact: no irritant effect
- Eye contact: no irritant effect
- Investigation: no known adverse effects

## **12 ECOLOGICAL INFORMATION:**

General notes:

Water hazard class 1 (self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system

## **13 DISPOSAL CONSIDERATIONS**

- Product:  
Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system
- Uncleaned packages:  
Disposal must be made according to official regulations.

# SAFETY DATA SHEET gemäß 91/155/EWG



**Product: Wachstop DP337**

Print Date:

Revision on: 15.06.2001

Page 3 of 3

---

## **14 TRANSPORT INFORMATION**

- RID/ADR:
- IATA:
- IMO:

## **15 REGULATORY INFORMATION**

- Symbol:
- Contain:
- Risk Phrases
- Safety Phrases

## **16 FURTHER INFORMATION:**

This information is based on our present level of knowledge and relates to the product in the state in which it is delivered and does not guarantee any particular properties. This safety data sheet is drawn up by electronic data processing and is valid without signature.